



**EPSON**<sup>®</sup>

*Epson*  
*AcuLaser* **C1100**



In-house printing solution for small workgroups

The ultimate printer for small businesses and individuals, our affordable Epson AcuLaser C1100 gives you amazing quality colour and fast black and white printing. It allows you to print a variety of material in-house, including brochures, stationery, invitation cards and menus. No need for separate mono and colour printers. Save money with one superior printer that meets all your needs.

The Epson AcuLaser C1100 uses our very latest print technology to give you inexpensive laser printing without any compromise on quality. With fast print times and low running costs you will spend less on your in-house mono printing. And because the same printer gives you high-quality colour results, outsourcing print jobs will become a thing of the past.

**High-quality colour, high-volume black and white**

The Epson AcuLaser C1100 delivers documents in perfect vibrant colour and accurate, sharp black and white thanks to our innovative Epson Aculaser Color ASIC printing and Wrap transfer technologies. And the new Epson AcuBrite toners allow high quality reproduction of fine details, outstanding colour expression and uniform image quality. From high-volume letters, mailshots, invoices and payslips through to prestigious colour brochures, invitations and presentations, the Epson AcuLaser C1100 does it all.

**Easily create your own promotional tools**

Now it is easier than ever to create your own impressive colour materials with the Office Ready Essentials software bundled free with your Epson AcuLaser C1100. Using Microsoft Office, select from over 150 professionally designed templates, including presentations, flyers, invitations and business forms. You can even convert your finished documents into PDFs so you can e-mail safely your company's documents.

Remember how frustrating it is when you print out Web pages and lose part of the text or graphics? With the Epson Aculaser C1100 and our Web2Page software, Web pages automatically adapt to fit your chosen paper size.



### Cuts costs and time

The last thing you want is to wait for your printing to finish. The Epson AcuLaser C1100 has a first page out time of just 9 seconds and prints black and white documents faster than a mono-only laser printer with an impressive 25ppm. Not only does it cut down waiting time, the Epson AcuLaser C1100 also cuts your running costs. The cost per page for black and white is less than or the same as many mono printers.

Furthermore, separate black and colour toner cartridges ensure low operating costs and no waste.

And because you can also print colour when you need it, you only have one printer to run and no costly and time-consuming outsourcing to worry about.

### Easy integration into your environment

You can connect your printer to the network thanks to the optional Epson Net 10/100 Base Tx Ethernet Interface (AL-C1100N model only). Even the base model is equipped with standard high-speed USB (2.0 compatible) and IEEE 1284 parallel interface to connect to your PC.



### Features and benefits

- Get vibrant, uniform colour with our Epson AcuBrite toners
- Create impressive colour business documents with free easy-to-use software
- Fast 25ppm printing for black and white and 5ppm for colour
- No waiting with first page out to print time for black and white of just 9 seconds
- Enhanced quality output with Epson AcuLaser Color 2400 Resolution Improvement Technology
- Wide choice of connections including high speed USB (2.0 compatible), parallel and Ethernet\*
- Easy to use and maintain

\*Optional Ethernet with EPSON AcuLaser C1100N

Epson  
AcuLaser  
C1100

<b>Model</b>	Epson AcuLaser C1100, Epson AcuLaser C1100N	<b>Ordering Information</b>
<b>Key Features</b>		Epson AcuLaser C1100 Standard model C11C567001
<b>Printing Technology</b>	Laser	Epson AcuLaser C1100N Standard Model + EpsonNet 10/100 Base Tx Ethernet interface C11C567041
<b>Resolution</b>	Epson AcuLaser Color 2400 RIT* ("Epson AcuLaser Resolution Improvement Technology)	
<b>Print Speed</b>	Up to 25ppm in monochrome and 5ppm in color (A4)	
<b>First Page Out</b>	9 seconds in monochrome and 17 seconds in color	
<b>Processor</b>	66.7MHz	
<b>Memory (Standard/Maximum)</b>	32MB with Epson MITech / up to 256MB max	
<b>Maximum Monthly Volume</b>	45,000 pages	
<b>Paper Handling</b>		500-Sheet Paper Cassette (1 x 500-Sheet Paper Cassette) C12C802181
<b>Standard Paper Input</b>	180 sheets (180 Multi-Purpose tray), Manual Duplex	
<b>Paper Size</b>	A4, A5, B5, LT, GLT, HLT, EXE, C5, C6, COM10, DL, MON, ISO-B5; 90 x 139.7mm to 216 x 297mm	
<b>Paper Weight</b>	64 to 210 g/m <sup>2</sup>	
<b>Optional Paper Handling</b>	500-Sheet Paper Cassette Automatic Duplex Unit	Additional Epson Memory 16MB (7000272), 32MB (7000273), 64MB (7000275), 128MB (7000276), 256MB (7000277)
<b>Maximum Paper Input</b>	680 sheets (180 Multi-Purpose tray + 500-Sheet Paper Cassette)	
<b>Paper Output (Standard/Maximum)</b>	250 sheets/250 sheets	
<b>Printer Control</b>		High Capacity Toner Cartridge Yellow <b>0187</b> C13S05 <b>0187</b>
<b>Language Emulations</b>		High Capacity Toner Cartridge Magenta <b>0188</b> C13S05 <b>0188</b>
<b>Standard</b>	ESC/Page-Color S	High Capacity Toner Cartridge Cyan <b>0189</b> C13S05 <b>0189</b>
<b>Connectivity</b>		High Capacity Toner Cartridge Black <b>0190</b> C13S05 <b>0190</b>
<b>Interfaces</b>	IEEE 1284 parallel interface (compatibility, Nibble and ECP mode) High Speed USB (2.0 compatible) EpsonNet 10/100 Base Tx Ethernet interface (Epson AcuLaser C1100N)	Standard Capacity Toner Cartridge Yellow <b>0191</b> C13S05 <b>0191</b>
<b>Network Printing Protocols</b>	TCP/IP: LPR, FTP, IPP, PORT2501, PORT9100 Microsoft Network: SMB; AppleTalk	Standard Capacity Toner Cartridge Magenta <b>0192</b> C13S05 <b>0192</b>
<b>Network Management Protocols</b>	TCP/IP: SNMP, HTTP, TELNET, DHCP, BOOTP, APIPA, PING, DDNS, mDNS(Rendezvous), SNTP, SSDP MMicrosoft Network(NetBEUI): SNMP; AppleTalk: SNMP	Standard Capacity Toner Cartridge Cyan <b>0193</b> C13S05 <b>0193</b>
<b>Consumables <sup>(1)(2)</sup></b>		Epson AcuLaser C1100 Photoconductor Unit <b>1104</b> C13S05 <b>1104</b>
<b>Toner</b>	K: 4,000 pages <sup>(1)</sup> , CMY: 4,000/1,500 pages <sup>(1)</sup>	Duplex Unit C12C80 <b>2191</b>
<b>Toner Save Mode</b>	Yes	
<b>PhotoConductor Unit</b>	Monochrome printing : 42,000 pages <sup>(1)</sup> , Color printing: 10,500 pages <sup>(1)</sup> <sup>(1)</sup> The above figures are approximate and are based on the number of A4 sheets printed at 5% coverage under conditions of continuous printing. Intermittent use may reduce page yield <sup>(2)</sup> Initial toner cartridges: CMYK: 1500pages <sup>(1)</sup>	
<b>Power Requirements</b>	Energy star compliant	
<b>Rated Voltage/Frequency/Current</b>	220V ±10% / 50Hz or 60Hz ± 3Hz / 4.0 A	
<b>Power Consumption</b>	Operating: 782 W max, 257 Wh (B&W), 176 Wh (Color) average - Standby: 61 Wh - Sleep: 16Wh	
<b>Minimum (Recommended)</b>		
<b>System Requirement</b>		
<b>PC</b>	Pentium II 233MHz [Pentium II 450MHz], 64MB [128MB]	
<b>MAC</b>	PowerPC G3 233MHz [G4 500MHz], 64MB [128MB]	
<b>PC Interfaces</b>	IEEE1284 ECP mode, USB (Windows 98/ME/2000/XP only), 10/100BaseTx Ethernet (optional)	
<b>MAC Interfaces</b>	USB (only Macintosh systems equipped with a USB connector and running Mac OS 9.x), EtherTalk (optional)	
<b>Operating System</b>	Windows 95/98/Me/XP/2000/Server 2003, NT 4.0, Mac OS 9.x or later and Mac OSX 10.1.2 or later	
<b>Dimensions and Weight*</b>	(W x D x H mm, Kg) * Weight including consumables	
<b>AcuLaser C1100</b>	445 x 445 x 439 mm, 28.0 Kg	
<b>AcuLaser C1100N</b>	445 x 445 x 439 mm, 28.0 Kg	
<b>Environmental Conditions</b>		
<b>Temperature</b>	Operation: 5 to 32 °C / Storage: 0 to 35 °C	
<b>Humidity</b>	Operation: 15 to 85% RH / Storage: 15 to 80% RH	
<b>Sound Power</b>	Operating: 6.4B; Standby: silent	
<b>Sound Pressure</b>	Operating: 53 dB(A); Standby: silent	
<b>Safety and Regulations</b>		
<b>Safety Standards</b>	Low Voltage Directive 73/23/EEC EN 60950, EN60825-1, CE Directive	
<b>EMC/EMI</b>	EMC Directive 89/336/EEC EN 55022 Class B, EN 55024, EN 61000-3-2; EN 61000-3-3, JBMIA harmonics control guidelines	
<b>Warranty</b>	Standard: 1 year on-site* (*conditions apply: please register on <a href="http://www.register.epson-europe.com">www.register.epson-europe.com</a> ) Optional: Epson Cover Plus 3 year Extended Warranty On-Site Pack ECPGRP45	



Telephone: +44 (0) 1442 261144  
 Fax: +44 (0) 8702 413093  
 E-mail: [info@epson.co.uk](mailto:info@epson.co.uk)  
[www.epson.co.uk](http://www.epson.co.uk)

Epson® is a registered trademark of Seiko Epson® Corporation. All other product names and other company names used herein are for identification purposes only and may be trademarks or registered trademarks of their respective owners. Errors and omissions excepted, all specifications are subject to change without notice.

**EPSON®**